



**KiTECH**

**K TECH GROUP PTE. LTD.**

7030 Ang Mo Kio Ave 5 #03-25 Northstar @ AMK Singapore 569880

Tel no : (+65) 6570 0887

Website : [www.ktech.asia](http://www.ktech.asia)

Email : [Sales@ktech.asia](mailto:Sales@ktech.asia)

---

## **HFWX1100RM**

1Megapixel 720P Water-proof HDCVI IR-Bullet Camera



### **Features**

- > 1Megapixel CMOS
- > 25/30fps@720P
- > Day/Night(ICR), AWB, AGC, BLC, 2DNR
- > 3.6mm fixed lens (2.8mm optional)
- > Max. IR LEDs length 20m, Smart IR
- > IP67, DC12V

**K TECH****K TECH GROUP PTE. LTD.**

7030 Ang Mo Kio Ave 5 #03-25 Northstar @ AMK Singapore 569880

Tel no : (+65) 6570 0887

Website : www.ktech.asia

Email : Sales@ktech.asia

**HFWX11000RM****Technical Specifications**

Model	HFWX11000RM	
<b>Camera</b>		
Image Sensor	1Megapixel CMOS	
Effective Pixels	1280(H)×720(V)	
Electronic Shutter	1/50s~1/100,000s	1/60s~1/100,000s
Video Frame Rate	25fps@720P	30fps@720P
Synchronization	Internal	
Mini. Illumination	0.05Lux/F2.0, 0Lux IR on	
Video Output	1-channel BNC HDCVI high definition video output	
<b>Camera Features</b>		
Max. IR LEDs Length	20m, Smart IR	
Day/Night	Auto(ICR) / Color / B/W	
Noise Reduction	2D	
<b>Lens</b>		
Focal Length	3.6mm fixed lens (2.8mm optional)	
Angle of View	H: 58.5°(80.5°)	
Mount Type	M12	
<b>General</b>		
Power Supply	DC12V ±25%	
Power Consumption	Max 3.5W	
Working Environment	-30 °C~+60 °C / Less than 95% RH (no condensation)	
Transmission Distance	Over 800m via 75-3 coaxial cable	
Ingress Protection	IP67	
Dimensions(W×D×H)	Φ70mm×154mm	
Weight	0.3kg	
Material	Metal	

**Accessories (optional)**

\*Design and Specifications are subject to change without notice. ©2016 K TECH GROUP PTE.LTD.



**KTECH**

**K TECH GROUP PTE. LTD.**

7030 Ang Mo Kio Ave 5 #03-25 Northstar @ AMK Singapore 569880

Tel no : (+65) 6570 0887

Website : [www.ktech.asia](http://www.ktech.asia)

Email : [Sales@ktech.asia](mailto:Sales@ktech.asia)

## **HFWX1100RM**

### **Dimensions (mm)**

